State Capitol, New
Mississippi Street at Congress Street
between North President and
North State Street
Jackson
Hinds County
Mississippi

HABS No. MS-191

HABS MISS, 25-JACK, 13-

PHOTOGRAPHS

WRITTEN HISTORICAL AND DESCRIPTIVE DATA

Historic American Buildings Survey
National Park Service
Department of the Interior
Washington, D.C. 20240

Form 10-920 (June 1983)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

HABS MISS, 25-JACK, 13-

ARCHITECTURAL DATA FORM

				, 		
	STATE MISSISSIPPI	COUNTY HINDS		TOWN OR VICINITY JACKSON		
	142040					
	HISTORIC NAME OF STRUCTURE (INCLUDE SOURCE FOR NAME) STATE CAPITOL, NEW				HABS NO. MS-191	
	SECONDARY OR COMMON NAMES OF STRUCTURE					
	COMPLETE ADDRESS (DESCRIBE LOCATION FOR RURAL SITES) Mississippi Street at Congress Street between North President and North State Streets.					
	ATE OF CONSTRUCTION (INCLUDE SOURCE)		ARCHITECT(S) (INCLUDE SOURCE)			
	1903		Theodore C. Link, St. Louis, Missouri			
	IGNIFICANCE (ARCHITECTURAL AND HISTORICAL, INCLUDE ORIGINAL USE OF STRUCTURE) As the state					
	capitol this building has been the scene of many historic events including an address by					
	General Douglas C. MacArthur before a joint session of the legislature from the steps of					
	the building in 1952.					
	STYLE (IF APPROPRIATE) Beaux Arts Classicism					
	MATERIAL OF CONSTRUCTION (INCLUDE STRUCTURAL SYSTEMS) Rusticated foundations constructed of					
	Georgian granite, exterior walls of smoothly polished Beaford limestone. Load bearing masonry walls. Flooring marble and tile, walls and ceiling polished marble and plaster.					
	SHAPE AND DIMENSIONS OF STRUCTURE (SKETCHED FLOOR PLANS ON SEPARATE PAGES ARE ACCEPTABLE)					
	402' by 225', 23 bays, 4 stories, symmetrical five-part composition. Central rotunda flam					
	ed by hypens connecting to the legislative houses in the wing pavillions.					
	EXTERIOR FEATURES OF NOTE Front and rear entrance porticos on axis. Front pavillion con- sists of six Corinthian columns supporting a full entablature and pediment. The portico					
	entablature becomes the cornice which surrounds the entire building. A dominant central					
	dome rises from a circular drum and supports a lantern and gilt eagle.					
	NTERIOR FEATURES OF NOTE (DESCRIBE FLOOR PLANS, IF NOT SKETCHED) Low, glass domes rest over each					
	of the houses of the legislature. The Y-shaped ceremonial stairs are located directly be-					
	hind the rotunda and are decorated with ornately carved consoles. Interior doors are glaz-					
	ed between an upper and a lower panel and surrounded by marble architraves. MAJOR ALTERATIONS AND ADDITIONS WITH OATES					
	No major alterations have occurred and the only repairs of any consequence were accomplish					
	ed in 1934-1935 when the interior was generally repaired and redecorated.					
	PRESENT CONDITION AND USE Condition, good. Use, government assembly and offices.					
	OTHER INFORMATION AS APPROPRIATE General contractor, Wells Brothers of Chicago. Art glass					
	was supplied by Louis Millet of Chicago. Interior marble columns are fitted with iron					
	capitals. The State Capitol is located on a rise of land which commands a broad view of Jackson. The site was reserved for government use in 1822. (See data page No. 2)					
	SOURCES OF INFORMATION (INCLUDING LISTING ON NATIONAL REGISTER, STATE REGISTERS, ETC.) HABS Data Sheets compiled by William C. Allen in 1974, based on Mississippi Department of Archives					
	and History files including National Register of Historic Places Inventory, New Capitol					
	Nomination Form, 1969. Daniel, Jean Houston. "Executive Mansions and Capitols of America					
	COMPILER, AFFILIATION 1969.				DATE	
	A	Marion K. Schl	efer , HABS		June 29, 1984	

data page No 2 144BS No MS-19,

